Ultrasonic Cleaner

Features

Degas

Soner's family are standard with degas function to keep powerful cavitation effect.

Industrial transducer

The Soner's benchtop cleaners adopt high power, rugged industrial transducer, durable and superior.

Higher Frequency

Soner series feature 53 KHz frequency to get more precise cleaning of parts that contaminated in small and hard-to-reach crevices.

Stainless Steel construction

Both tank and housing are constructed of SS304, durable and easy to clean.

International certification

CE certification

One-Year Warranty

Applications

- Solvent degas
- Cleaning for cuvette and test tube
- Cleaning for optical lenses and scientific Instruments
- Cleaning for various parts and PCB

Ordering Information

188203-11(22)

Soner 203 Ultrasonic Cleaner AC110V, 60Hz (AC220V, 50Hz)

188204-11(22)

Soner 203H Ultrasonic Cleaner (with heating function) AC110V, 60Hz (AC220V, 50Hz)

188206-11(22)

Soner 206 Ultrasonic Cleaner AC110V, 60Hz (AC220V, 50Hz)

188207-11(22)

Soner 206H Ultrasonic Cleaner (with heating function) AC110V, 60Hz (AC220V, 50Hz)



Soner 203



Soner 206



Soner 203H



Soner 206H

Specification

Model	Soner 203	Soner 203H	Soner 206	Soner 206H
Frequency	53KHz	53KHz	53KHz	53KHz
Heating	-	Yes (Max. 60°C)	-	Yes (Max. 60°C)
Degas	Yes	Yes	Yes	Yes
Timer	1-99 min	1-99 min	1-99 min	1-99 min
Tank size (LxWxD)	24 x 14 x 10 cm	24 x 14 x 10 cm	30 x 15 x 15 cm	30 x 15 x 15 cm
Overall size (LxWxD)	27 x 16 x 24 cm	27 x 16 x 24 cm	33 x 18 x 29 cm	33 x 18 x 29 cm
Tank capacity	3L	3L	6L	6L
Housing	SS304	SS304	SS304	SS304
Drain	-	-	-	-
Stainless steel cover	Yes	Yes	Yes	Yes
Ultrasonic power	100W	100W	180W	180W
Heating power	-	75W	-	150W
Degas power	100W	100W	180W	180W
Packing size (LxWxD)	36.5 x 27.5 x 34.5 cm	36.5 x 27.5 x 34.5 cm	43.5 x 28.5 x 40 cm	43.5 x 28.5 x 40 cm
Net weight	4 Kg	4.2 Kg	5.0 Kg	5.6 Kg
Gross weight	4.6 Kg	4.8 Kg	6.0 Kg	6.6 Kg

^{*} Each standard package of Soner Series includes stainless steel cover and bracket.

Ultrasonic Cleaner

Features

Degas

Soner's family are standard with degas function to keep powerful cavitation effect.

Industrial transducer

The Soner's benchtop cleaners adopt high power, rugged industrial transducer, durable and superior.

Higher Frequency

Soner series feature 53 KHz frequency to get more precise cleaning of parts that contaminated in small and hard-to-reach crevices.

Stainless Steel construction

Both tank and housing are constructed of SS304, durable and easy to clean.

One-Year Warranty

Applications

- Solvent degas
- Cleaning for cuvette and test tube
- Cleaning for optical lenses and scientific Instruments
- Cleaning for various parts and PCB

Ordering Information

188210-11(22)

Soner 210 Ultrasonic Cleaner AC110V, 60Hz (AC220V, 50Hz)

188211-11(22)

Soner 210H Ultrasonic Cleaner (with heating function) AC110V, 60Hz (AC220V, 50Hz)

188220-11(22)

Soner 220 Ultrasonic Cleaner AC110V, 60Hz (AC220V, 50Hz)

188221-11(22)

Soner 220H Ultrasonic Cleaner (with heating function) AC110V, 60Hz (AC220V, 50Hz)



Soner 210



Soner 210H



Soner 220




Soner 220H

Specification

Model	Soner 210	Soner 210H	Soner 220	Soner 220H
Frequency	53KHz	53KHz	53KHz	53KHz
Heating	-	Yes (Max. 60°C)	-	Yes (Max. 60°C)
Degas	Yes	Yes	Yes	Yes
Timer	1-99 min	1-99 min	1-99 min	1-99 min
Tank size (LxWxD)	30 x 24 x 15 cm	30 x 24 x 15 cm	50 x 30 x 15 cm	50 x 30 x 15 cm
Overall size (LxWxD)	36 x 27 x 31 cm	36 x 27 x 31 cm	57 x 33 x 33 cm	57 x 33 x 33 cm
Tank capacity	10L	10L	20L	20L
Housing	SS304	SS304	SS304	SS304
Drain	Yes	Yes	Yes	Yes
Stainless steel cover	Yes	Yes	Yes	Yes
Ultrasonic power	200W	200W	500W	500W
Heating power	-	270W	-	520W
Degas power	200W	200W	500W	500W
Packing size (LxWxD)	43.5 x 37.5 x 40 cm	43.5 x 37.5 x 40 cm	66.5 x 43.5 x 43 cm	66.5 x 43.5 x 43 cm
Net weight	6.8 Kg	7.0 Kg	13.6 Kg	13.8 Kg
Gross weight	8.4 Kg	8.6 Kg	15.4 Kg	15.6 Kg

^{*} Each standard package of Soner Series includes stainless steel cover and bracket.

Accessories



Bracket

Ideal for big parts
(Standard accessory)



Basket

Ideal for small parts (Optional accessory)



Beaker positioning cover

Used to position beaker for indirect cleaning (Optional accessory)

Ordering Information

188203-31 Bracket for Soner 203/203H

188206-31 Bracket for Soner 206/206H

188210-31 Bracket for Soner 210/210H

188220-31 Bracket for Soner 220/220H

188203-30 Basket for Soner 203/203H

188206-30 Basket for Soner 206/206H

188210-30 Basket for Soner 210/210H

188220-30 Basket for Soner 220/220H

188200-31 Beaker positioning cover (S) for Soner 203/203H/206/206H

188200-32 Beaker positioning cover (M) for Soner 210/210H

188200-33 Beaker positioning cover (L) for Soner 220/220H